



STATE OF NEW YORK  
**DEPARTMENT OF AGRICULTURE AND MARKETS**  
 10B AIRLINE DRIVE  
 ALBANY, NEW YORK 12235  
**LICENSE NOTICE**

The lower portion of this notice is your license for the test methods that you are currently performing.

If new test methods are to be conducted, you must apply to the Division of Milk Control & Dairy Services for approval prior to conducting the test method.

**Bacteria:**

- 1. Direct Microscopic Count (DMC)
- 2a. Standard Plate Count (SPC)
- 2b. Ad Instruments Spiral Plate Count
- 3a. SPC Agar (PLC)
- 3b. 3M PAC (PPLC)
- 3c. 3M RAC (RPLC)
- 5a. 3M Petrifilm Aerobic Count (PAC)
- 5b. 3M Petrifilm Rapid Aerobic Count
- 5c. Charm Peel Plate Aerobic Count
- 7a. Foss BactoScan FC (BSC) –
- 7b. bioMérieux TEMPO Aerobic Count
- 7c. Bentley BactoCount IBC (BCC)
- 7d. Bentley BactoCount IBCm (BCMC)
- 7e. Foss BacSomatic – raw milk only

**Drug Tests:**

- 9B2. Charm BsDA
- 9C2. Charm II Competitive
- 9C3. Charm II Sequential
- 9C4. Charm II Quantitative
- 9C10. Charm II Sulfa
- 9C11. Charm II Chloramphenicol
- 9C12. Charm II Tetracycline
- 9C13. Charm SL (Safe Level)

**Drug Tests (cont):**

- 9C15. Charm 3 SL3
- 9C17. Charm ROSA Tetracycline SL
- 9C18. Charm ROSA SULF Test
- 9C19. Charm TRIO Test
- 9D1. DSM Delvotest P (mini)
- 9D3. DSM Delvotest P 5 Pack
- 9I1. Idexx New Snap BL
- 9I2. Idexx - Snap® Tetracycline

**Somatic Cells:**

- 12. Direct Microscopic Somatic Cell
- 16a. Foss 90
- 16b. Foss 250/300/360/400
- 16c. Bentley 150/300/500/FCM/FC
- 16d. Foss 5000/FC/7
- 16e. Perkin-Elmer/Delta Instruments MKII/SMART
- 16f. Foss Minor
- 16g. Foss 7 DC
- 16h. Foss BacSomatic

**Coliforms:**

- 19a. bioMérieux TEMPO Coliform Count
- 20a. 3M Petrifilm Coliform Count
- 20b. Charm Peel Plate Coliform Count
- 21a. Coliform Plate Count (CPC)

**Containers:**

- 22a. Rinse Method
- 22b. Swab Method
- 23a. Disintegration Test
- 23b. Flat Lid or Pour Contact Tests

**Dairy Water:**

- 24a. Multiple Tube Fermentation
- 24b. Membrane Filtration
- 24c. Heterotrophic Plate Count (HPC)
- 24d. Idexx Colilert
- 24e. Idexx Colilert 18
- 24f. Idexx Colisure
- 24g. Charm E\*Colite
- 25a. Dairy Waters, Other

**Phosphatase:**

- 28a. Advanced Instruments Fluorophos
- 28b. Charm Paslite
- 28c. Charm Fast Alkaline Phosphatase
- 28d. Neogen Accupoint Advanced
- 28s. Scherer (NYS broken seal)

The licensee has consented to the free entry and free access to the licensed premises, buildings and offices to the Commissioner, the Commissioner's agents and inspectors in pursuance of the Commissioner's duty to supervise and regulate the production, storage, sale and use of articles subject to the Commissioner's jurisdiction.

~~Please post the license portion of this notice in the establishment.~~

Expires: 11/30/2027

Issued: 12/01/2022


NEW YORK STATE  
 DEPARTMENT OF AGRICULTURE AND MARKETS  
 ALBANY, NY 12235

Identification No.: 159106

**ARTICLE 4 – TEST METHODS LICENSE**

Pursuant to Article 4 of the Agriculture and Markets Law, the licensee is authorized to perform the following test method: 20A, 5A

This license cannot be sold or transferred.



KELSEY URDA



*Richard A. Ball*  
 Richard A. Ball  
 Commissioner





STATE OF NEW YORK  
DEPARTMENT OF AGRICULTURE AND MARKETS  
10B AIRLINE DRIVE  
ALBANY, NEW YORK 12235

Division of Milk Control & Dairy Services-  
(518) 457-1772

LICENSE NOTICE

The lower portion of this notice is your license for the test methods that you are currently performing.

If new test methods are to be conducted, you must apply to the division of Milk Control & Dairy Services for approval prior to conducting the test method.

Test Methods

- A. Milk Receiver – Farm Sampler
- B. Milk Receiver – CMI
- C. Milk Receiver – Laboratory Worker
- D. Milk Receiver – Plant Worker
- E. Milk Receiver – Other
- I. Babcock
- J. Gerber
- K. Ether Extraction – Mojonnier
- L. Electronic Method
- M. Kjedah
- N. Total solids

The licensee has consented to the free entry and free access to the licensed premises, buildings and offices to the Commissioner, the Commissioner's agents and inspectors in pursuance of the Commissioner's duty to supervise and regulate the production, storage, sale and use of articles subject to the Commissioner's jurisdiction.


Please post the license portion of this notice in the establishment.

Expires: 11/30/2027

NEW YORK STATE  
DEPARTMENT OF AGRICULTURE AND MARKETS  
ALBANY, NY 12235

Identification No.: 961321

Issued: 12/01/2022



MILK RECEIVER

Pursuant to Article 4 of the Agriculture and Markets Law, the licensee is authorized to perform the following test method: ©

This license cannot be sold or transferred.

KELSEY URDA



Richard A. Ball,  
Commissioner





STATE OF NEW YORK  
DEPARTMENT OF AGRICULTURE AND MARKETS

10B AIRLINE DRIVE  
ALBANY, NEW YORK 12235

LICENSE NOTICE

The lower portion of this notice is your license for the test methods that you are currently performing.

If new test methods are to be conducted, you must apply to the Division of Milk Control & Dairy Services for approval prior to conducting the test method.

Bacteria:

- 1. Direct Microscopic Count (DMC)
- 2a. Standard Plate Count (SPC)
- 2b. Ad Instruments Spiral Plate Count
- 3a. SPC Agar (PLC)
- 3b. 3M PAC (PPLC)
- 3c. 3M RAC (RPLC)
- 5a. 3M Petrifilm Aerobic Count (PAC)
- 5b. 3M Petrifilm Rapid Aerobic Count
- 5c. Charm Peel Plate Aerobic Count
- 7a. Foss BactoScan FC (BSC) –
- 7b. bioMérieux TEMPO Aerobic Count
- 7c. Bentley BactoCount IBC (BCC)
- 7d. Bentley BactoCount IBCm (BCMC)
- 7e. Foss BacSomatic – raw milk only

Drug Tests:

- 9B2. Charm BsDA
- 9C2. Charm II Competitive
- 9C3. Charm II Sequential
- 9C4. Charm II Quantitative
- 9C10. Charm II Sulfa
- 9C11. Charm II Chloramphenicol
- 9C12. Charm II Tetracycline
- 9C13. Charm SL (Safe Level)

Drug Tests (cont):

- 9C15. Charm 3 SL3
- 9C17. Charm ROSA Tetracycline SL
- 9C18. Charm ROSA SULF Test
- 9C19. Charm TRIO Test
- 9D1. DSM Delvotest P (mini)
- 9D3. DSM Delvotest P 5 Pack
- 9I1. Idexx New Snap BL
- 9I2. Idexx - Snap® Tetracycline

Somatic Cells:

- 12. Direct Microscopic Somatic Cell
- 16a. Foss 90
- 16b. Foss 250/300/360/400
- 16c. Bentley 150/300/500/FCM/FC
- 16d. Foss 5000/FC/7
- 16e. Perkin-Elmer/Delta Instruments MKII/SMART
- 16f. Foss Minor
- 16g. Foss 7 DC
- 16h. Foss BacSomatic

Coliforms:

- 19a. bioMérieux TEMPO Coliform Count
- 20a. 3M Petrifilm Coliform Count
- 20b. Charm Peel Plate Coliform Count
- 21a. Coliform Plate Count (CPC)

Containers:

- 22a. Rinse Method
- 22b. Swab Method
- 23a. Disintegration Test
- 23b. Flat Lid or Pour Contact Tests

Dairy Water:




- 24a. Multiple Tube Fermentation
- 24b. Membrane Filtration
- 24c. Heterotrophic Plate Count (HPC)
- 24d. Idexx Colilert
- 24e. Idexx Colilert 18
- 24f. Idexx Colisure
- 24g. Charm E\*Colite
- 25a. Dairy Waters, Other

Phosphatase:

- 28a. Advanced Instruments Fluorophos
- 28b. Charm Paslite
- 28c. Charm Fast Alkaline Phosphatase
- 28d. Neogen Accupoint Advanced
- 28s. Scharer (NYS broken seal)

The licensee has consented to the free entry and free access to the licensed premises, buildings and offices to the Commissioner, the Commissioner's agents and inspectors in pursuance of the Commissioner's duty to supervise and regulate the production, storage, sale and use of articles subject to the Commissioner's jurisdiction.

~~Please post the license portion of this notice in the establishment.~~

Expires: 07/31/2028	NEW YORK STATE DEPARTMENT OF AGRICULTURE AND MARKETS ALBANY, NY 12235	Identification No.: 159740
Issued: 07/18/2023	<b>ARTICLE 4 – TEST METHODS LICENSE</b>	
		
<p>Pursuant to Article 4 of the Agriculture and Markets Law, the licensee is authorized to perform the following test method: 20A, 5A</p> <p>This license cannot be sold or transferred</p>		
STEPHANIE JAYSON 	 Richard A. Ball Commissioner	





STATE OF NEW YORK  
**DEPARTMENT OF AGRICULTURE AND MARKETS**  
 10B AIRLINE DRIVE  
 ALBANY, NEW YORK 12235

Division of Milk Control & Dairy Services-  
 (518) 457-1772

**LICENSE NOTICE**

The lower portion of this notice is your license for the test methods that you are currently performing.




If new test methods are to be conducted, you must apply to the division of Milk Control & Dairy Services for approval prior to conducting the test method.

**Test Methods**

- A. Milk Receiver – Farm Sampler
- B. Milk Receiver – CMI
- C. Milk Receiver – Laboratory Worker
- D. Milk Receiver – Plant Worker
- E. Milk Receiver – Other
- I. Babcock
- J. Gerber
- K. Ether Extraction – Mojonnier
- L. Electronic Method
- M. Kjedadl
- N. Total solids

The licensee has consented to the free entry and free access to the licensed premises, buildings and offices to the Commissioner, the Commissioner's agents and inspectors in pursuance of the Commissioner's duty to supervise and regulate the production, storage, sale and use of articles subject to the Commissioner's jurisdiction.

Please post the license portion of this notice in the establishment.

Expires: 07/31/2028	NEW YORK STATE DEPARTMENT OF AGRICULTURE AND MARKETS ALBANY, NY 12235	Identification No.: 963449
Issued: 07/17/2023	<b>MILK RECEIVER</b>	
		
Pursuant to Article 4 of the Agriculture and Markets Law, the licensee is authorized to perform the following test method: C		
This license cannot be sold or transferred		
STEPHANIE JAYSON 		 Richard A. Ball. Commissioner





STATE OF NEW YORK  
**DEPARTMENT OF AGRICULTURE AND MARKETS**  
 10B AIRLINE DRIVE  
 ALBANY, NEW YORK 12235  
**LICENSE NOTICE**

The lower portion of this notice is your license for the test methods that you are currently performing.

If new test methods are to be conducted, you must apply to the Division of Milk Control & Dairy Services for approval prior to conducting the test method.

**Bacteria:**

- 1. Direct Microscopic Count (DMC)
- 2a. Standard Plate Count (SPC)
- 2b. Ad Instruments Spiral Plate Count
- 3a. SPC Agar (PLC)
- 3b. 3M PAC (PPLC)
- 3c. 3M RAC (RPLC)
- 5a. 3M Petrifilm Aerobic Count (PAC)
- 5b. 3M Petrifilm Rapid Aerobic Count
- 5c. Charm Peel Plate Aerobic Count
- 7a. Foss BactoScan FC (BSC) –
- 7b. bioMérieux TEMPO Aerobic Count
- 7c. Bentley BactoCount IBC (BCC)
- 7d. Bentley BactoCount IBCm (BCMC)
- 7e. Foss BacSomatic – raw milk only

**Drug Tests:**

- 9B2. Charm BsDA
- 9C2. Charm II Competitive
- 9C3. Charm II Sequential
- 9C4. Charm II Quantitative
- 9C10. Charm II Sulfa
- 9C11. Charm II Chloramphenicol
- 9C12. Charm II Tetracycline
- 9C13. Charm SL (Safe Level)

**Drug Tests (cont):**

- 9C15. Charm 3 SL3
- 9C17. Charm ROSA Tetracycline SL
- 9C18. Charm ROSA SULF Test
- 9C19. Charm TRIO Test
- 9D1. DSM Delvotest P (mini)
- 9D3. DSM Delvotest P 5 Pack
- 9I1. Idexx New Snap BL
- 9I2. Idexx - Snap® Tetracycline

**Somatic Cells:**

- 12. Direct Microscopic Somatic Cell
- 16a. Foss 90
- 16b. Foss 250/300/360/400
- 16c. Bentley 150/300/500/FCM/FC
- 16d. Foss 5000/FC/7
- 16e. Perkin-Elmer/Delta Instruments MKII/SMART
- 16f. Foss Minor
- 16g. Foss 7 DC
- 16h. Foss BacSomatic

**Coliforms:**

- 19a. bioMérieux TEMPO Coliform Count
- 20a. 3M Petrifilm Coliform Count
- 20b. Charm Peel Plate Coliform Count
- 21a. Coliform Plate Count (CPC)

**Containers:**

- 22a. Rinse Method
- 22b. Swab Method
- 23a. Disintegration Test
- 23b. Flat Lid or Pour Contact Tests

**Dairy Water:**

- 24a. Multiple Tube Fermentation
- 24b. Membrane Filtration
- 24c. Heterotrophic Plate Count (HPC)
- 24d. Idexx Colilert
- 24e. Idexx Colilert 18
- 24f. Idexx Colisure
- 24g. Charm E\*Colite
- 25a. Dairy Waters, Other

**Phosphatase:**

- 28a. Advanced Instruments Fluorophos
- 28b. Charm Paslite
- 28c. Charm Fast Alkaline Phosphatase
- 28d. Neogen Accupoint Advanced
- 28s. Scharer (NYS broken seal)

The licensee has consented to the free entry and free access to the licensed premises, buildings and offices to the Commissioner, the Commissioner's agents and inspectors in pursuance of the Commissioner's duty to supervise and regulate the production, storage, sale and use of articles subject to the Commissioner's jurisdiction.

~~Please post the license portion of this notice in the establishment.~~

Expires: 07/31/2028	NEW YORK STATE DEPARTMENT OF AGRICULTURE AND MARKETS ALBANY NY 12235	Identification No.: 159741
Issued: 07/18/2023	<b>ARTICLE 4 – TEST METHODS LICENSE</b>	
Pursuant to Article 4 of the Agriculture and Markets Law, the licensee is authorized to perform the following test method: 20A, 5A		
This license cannot be sold or transferred		
KYLE HELLER 		 Richard A. Ball Commissioner



STATE OF NEW YORK  
 DEPARTMENT OF AGRICULTURE AND MARKETS  
 10B AIRLINE DRIVE  
 ALBANY, NEW YORK 12235  
 LICENSE NOTICE

The lower portion of this notice is your license for the test methods that you are currently performing.

If new test methods are to be conducted, you must apply to the Division of Milk Control & Dairy Services for approval prior to conducting the test method.

**Bacteria:**

- 1. Direct Microscopic Count (DMC)
- 2a. Standard Plate Count (SPC)
- 2b. Ad Instruments Spiral Plate Count
- 3a. SPC Agar (PLC)
- 3b. 3M PAC (PPLC)
- 3c. 3M RAC (RPLC)
- 5a. 3M Petrifilm Aerobic Count (PAC)
- 5b. 3M Petrifilm Rapid Aerobic Count
- 5c. Charm Peel Plate Aerobic Count
- 7a. Foss BactoScan FC (BSC) -
- 7b. bioMérieux TEMPO Aerobic Count
- 7c. Bentley BactoCount IBC (BCC)
- 7d. Bentley BactoCount IBCm (BCMC)
- 7e. Foss BacSomatic - raw milk only

**Drug Tests:**

- 9B2. Charm BsDA
- 9C2. Charm II Competitive
- 9C3. Charm II Sequential
- 9C4. Charm II Quantitative
- 9C10. Charm II Sulfa
- 9C11. Charm II Chloramphenicol
- 9C12. Charm II Tetracycline
- 9C13. Charm SL (Safe Level)

**Drug Tests (cont):**

- 9C15. Charm 3 SL3
- 9C17. Charm ROSA Tetracycline SL
- 9C18. Charm ROSA SULF Test
- 9C19. Charm TRIO Test
- 9D1. DSM Delvotest P (mini)
- 9D3. DSM Delvotest P 5 Pack
- 9I1. Idexx New Snap BL
- 9I2. Idexx - Snap® Tetracycline

**Somatic Cells:**

- 12. Direct Microscopic Somatic Cell
- 16a. Foss 90
- 16b. Foss 250/300/360/400
- 16c. Bentley 150/300/500/FCM/FC
- 16d. Foss 5000/FC/7
- 16e. Perkin-Elmer/Delta Instruments MKII/SMART
- 16f. Foss Minor
- 16g. Foss 7 DC
- 16h. Foss BacSomatic

**Coliforms:**

- 19a. bioMérieux TEMPO Coliform Count
- 20a. 3M Petrifilm Coliform Count
- 20b. Charm Peel Plate Coliform Count
- 21a. Coliform Plate Count (CPC)

**Containers:**

- 22a. Rinse Method
- 22b. Swab Method
- 23a. Disintegration Test
- 23b. Flat Lid or Pour Contact Tests

**Dairy Water:**

- 24a. Multiple Tube Fermentation
- 24b. Membrane Filtration
- 24c. Heterotrophic Plate Count (HPC)
- 24d. Idexx Colilert
- 24e. Idexx Colilert 18
- 24f. Idexx Colisure
- 24g. Charm E\*Colite
- 25a. Dairy Waters, Other

**Phosphatase:**

- 28a. Advanced Instruments Fluorophos
- 28b. Charm Paslite
- 28c. Charm Fast Alkaline Phosphatase
- 28d. Neogen Accupoint Advanced
- 28s. Scharer (NYS broken seal)

The licensee has consented to the free entry and free access to the licensed premises, buildings and offices to the Commissioner, the Commissioner's agents and inspectors in pursuance of the Commissioner's duty to supervise and regulate the production, storage, sale and use of articles subject to the Commissioner's jurisdiction.

Please post the license portion of this notice in the establishment.

Expires: 03/31/2029

Issued: 03/14/2024

NEW YORK STATE  
 DEPARTMENT OF AGRICULTURE AND MARKETS  
 ALBANY, NY 12235


Identification No.: 159813

ARTICLE 4 - TEST METHODS LICENSE

Pursuant to Article 4 of the Agriculture and Markets Law, the licensee is authorized to perform the following test method: 20A, 5A

This license cannot be sold or transferred

CAITLIN REATEGUI



*Richard A. Ball*

Richard A. Ball  
 Commissioner





STATE OF NEW YORK  
**DEPARTMENT OF AGRICULTURE AND MARKETS**  
 10B AIRLINE DRIVE  
 ALBANY, NEW YORK 12235

Division of Milk Control & Dairy Services-  
 (518) 457-1772

**LICENSE NOTICE**

The lower portion of this notice is your license for the test methods that you are currently performing.




If new test methods are to be conducted, you must apply to the division of Milk Control & Dairy Services for approval prior to conducting the test method.

**Test Methods**

- A. Milk Receiver – Farm Sampler
- B. Milk Receiver – CMI
- C. Milk Receiver – Laboratory Worker
- D. Milk Receiver – Plant Worker
- E. Milk Receiver – Other
- I. Babcock
- J. Gerber
- K. Ether Extraction – Mojonnier
- L. Electronic Method
- M. Kjedadl
- N. Total solids

The licensee has consented to the free entry and free access to the licensed premises, buildings and offices to the Commissioner, the Commissioner's agents and inspectors in pursuance of the Commissioner's duty to supervise and regulate the production, storage, sale and use of articles subject to the Commissioner's jurisdiction.

Please post the license portion of this notice in the establishment.

Expires: 03/31/2029	NEW YORK STATE DEPARTMENT OF AGRICULTURE AND MARKETS ALBANY, NY 12235	Identification No.: 963678
Issued: 03/12/2024	<b>MILK RECEIVER</b>	
		
Pursuant to Article 4 of the Agriculture and Markets Law, the licensee is authorized to perform the following test method: ©		
This license cannot be sold or transferred		
CAITLIN REATEGUI 	 Richard A. Ball Commissioner	